

North Carolina Highway Safety Improvement Program

Potentially Hazardous Intersection Locations in ONSLOW County

2010 Cycle

PH Number					Overall																				
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index																				
66I00168					80																				
4	7.39	3 B	CAPE FEAR	ONSLOW (JACKSONVILLE) SR 1336 (MP 0.00) AT SR 1470 (MP 1.69)	6.8																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-2</td><td>30</td><td>37.5%</td><td>6.73</td><td>3.39</td></tr><tr><td>I-3</td><td>45</td><td>56.3%</td><td>6.8</td><td>2.18</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-2	30	37.5%	6.73	3.39	I-3	45	56.3%	6.8	2.18
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-2	30	37.5%	6.73	3.39																					
I-3	45	56.3%	6.8	2.18																					
66I00190					31																				
21	3.89	3 B	CAPE FEAR	ONSLOW (RURAL) NC 24 (MP 34.38) AT SR 1587 (MP 0.00) * POSSIBLE LOOP *	13.9																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>18</td><td>58.1%</td><td>21.13</td><td>2.82</td></tr><tr><td>I-3</td><td>14</td><td>45.2%</td><td>13.88</td><td>1.38</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	18	58.1%	21.13	2.82	I-3	14	45.2%	13.88	1.38
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	18	58.1%	21.13	2.82																					
I-3	14	45.2%	13.88	1.38																					
66I00183					32																				
55	2.81	3 B	CAPE FEAR	ONSLOW (RURAL) US 258 (MP 7.30) AT SR 1329 (MP 0.00)	11.8																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>25</td><td>78.1%</td><td>13.94</td><td>2.58</td></tr><tr><td>I-3</td><td>13</td><td>40.6%</td><td>11.81</td><td>1.09</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	25	78.1%	13.94	2.58	I-3	13	40.6%	11.81	1.09
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	25	78.1%	13.94	2.58																					
I-3	13	40.6%	11.81	1.09																					
66I00206					29																				
81	2.52	3 B	CAPE FEAR	ONSLOW (RURAL) NC 24 AT SR 1744 * POSSIBLE LOOP *	12.2																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>17</td><td>58.6%</td><td>17.86</td><td>2.25</td></tr><tr><td>I-3</td><td>13</td><td>44.8%</td><td>12.16</td><td>1.12</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	17	58.6%	17.86	2.25	I-3	13	44.8%	12.16	1.12
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	17	58.6%	17.86	2.25																					
I-3	13	44.8%	12.16	1.12																					
66I00147					43																				
98	2.37	3 B	CAPE FEAR	ONSLOW (RURAL) US 17 (MP 17.24) AT SR 1107 (MP 8.23)	8.14																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>36</td><td>83.7%</td><td>8.91</td><td>2.37</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	36	83.7%	8.91	2.37					
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	36	83.7%	8.91	2.37																					
66I00159					100																				
106	2.31	3 B	CAPE FEAR	ONSLOW (JACKSONVILLE) SR 1308 (MP 10.71) AT SR 1470 (MP 0.00)	4.5																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>51</td><td>51.0%</td><td>6.11</td><td>2.31</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	51	51.0%	6.11	2.31					
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	51	51.0%	6.11	2.31																					
66I00189					31																				
134	2.14	3 B	CAPE FEAR	ONSLOW (RURAL) SR 1212 (MP 3.50) AT SR 1213 (MP 2.09)	9.47																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>26</td><td>83.9%</td><td>11.1</td><td>2.14</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	26	83.9%	11.1	2.14					
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	26	83.9%	11.1	2.14																					
66I00185					136																				
175	1.88	3 B	CAPE FEAR	ONSLOW (RURAL) SR 1470 (MP 3.61) AT COMMERCE	3.23																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>69</td><td>50.7%</td><td>3.68</td><td>1.88</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	69	50.7%	3.68	1.88					
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	69	50.7%	3.68	1.88																					
66I00160					110																				
314	1.48	3 B	CAPE FEAR	ONSLOW (JACKSONVILLE) SR 1470 (MP 5.84) AT CENTER	3.09																				
Excluded: <input type="checkbox"/> Comments:					<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>60</td><td>54.5%</td><td>3.34</td><td>1.48</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	60	54.5%	3.34	1.48					
WARRANT INFORMATION																									
Warrant	Crashes	Percent	Severity	Weight																					
I-1	60	54.5%	3.34	1.48																					

North Carolina Highway Safety Improvement Program

Potentially Hazardous Intersection Locations in ONSLOW County

2010 Cycle

PH Number					Overall
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index
66I00207					28
349	1.41	3 B	CAPE FEAR	ONSLOW (RURAL) US 258 (MP 3.50) AT SR 1212 (MP 0.00)	6.88
Excluded: <input type="checkbox"/> Comments:					
66I00171					28
438	1.28	3 B	CAPE FEAR	ONSLOW (RURAL) US 258 (MP 1.59) AT SR 1250 (MP 0.00)	6.88
Excluded: <input type="checkbox"/> Comments:					
66I00196					69
510	1.18	3 B	CAPE FEAR	ONSLOW (JACKSONVILLE) SR 1470 (MP 2.60) AT CROSS POINT	3.9
Excluded: <input type="checkbox"/> Comments:					
66I00164					82
522	1.17	3 B	CAPE FEAR	ONSLOW (RURAL) SR 1406 AT SR 1451 * POSSIBLE LOOP *	3.44
Excluded: <input type="checkbox"/> Comments:					
66I00148					34
522	1.17	3 B	CAPE FEAR	ONSLOW (RURAL) NC 172 (MP 4.11) AT NC 210 (MP 4.09)	5.84
Excluded: <input type="checkbox"/> Comments:					
66I00208					77
522	1.17	3 B	CAPE FEAR	ONSLOW (RURAL) US 17B (MP 3.48) AT SR 1336 (MP 3.07)	3.21
Excluded: <input type="checkbox"/> Comments:					
66I00136					34
578	1.12	3 B	CAPE FEAR	ONSLOW (RURAL) NC 53 (MP 2.53) AT SR 1113 (MP 2.70)	6.06
Excluded: <input type="checkbox"/> Comments:					
66I00162					82
588	1.11	3 B	CAPE FEAR	ONSLOW (RURAL) SR 1403 (MP 0.00) AT SR 1406 (MP 1.07) * POSSIBLE LOOP *	3.35
Excluded: <input type="checkbox"/> Comments:					
66I00163					80
588	1.11	3 B	CAPE FEAR	ONSLOW (RURAL) SR 1406 AT COUNTRY CLUB * POSSIBLE LOOP *	3.41
Excluded: <input type="checkbox"/> Comments:					

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-2	10	35.7%	10.8	1.81
I-3	16	57.1%	6.88	0.78

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-1	23	82.1%	7.51	1.28

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-5	69	CROSSING	3.91	1.18

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-1	47	57.3%	3.36	1.17

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-1	23	67.6%	6.87	1.17

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-4	30	39.0%	3.96	1.17

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-1	24	70.6%	6.32	1.12

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-1	46	56.1%	3.25	1.11

WARRANT INFORMATION				
Warrant	Crashes	Percent	Severity	Weight
I-1	46	57.5%	3.25	1.11

North Carolina Highway Safety Improvement Program

Potentially Hazardous Intersection Locations in ONSLOW County

2010 Cycle

PH Number					Overall					
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index					
66I00209		3	CAPE FEAR	ONSLOW (JACKSONVILLE)	52	WARRANT INFORMATION				
678	1.04	B		US 17B (MP 2.73) AT BORDEAUX	3.99	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	29	55.8%	4.83	1.04	
66I00170		3	CAPE FEAR	ONSLOW (JACKSONVILLE)	70	WARRANT INFORMATION				
691	1.03	B		SR 1470 (MP 5.54) AT BRYN MAWR	3.01	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	35	50.0%	3.96	1.03	
66I00172		3	CAPE FEAR	ONSLOW (RURAL)	38	WARRANT INFORMATION				
825	0.92	B		SR 1470 (MP 4.78) AT SR 1748	4.75	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	19	50.0%	6.55	0.92	
66I00142		3	CAPE FEAR	ONSLOW (JACKSONVILLE)	44	WARRANT INFORMATION				
896	0.87	B		LIBERTY AT PINEVALLEY (MP 0.09)	3.19	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	36	81.8%	3.26	0.87	
66I00191		3	CAPE FEAR	ONSLOW (JACKSONVILLE)	50	WARRANT INFORMATION				
935	0.85	B		NC 24 AT NC 24	4.26	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	26	52.0%	4.42	0.85	
66I00179		3	CAPE FEAR	ONSLOW (RURAL)	40	WARRANT INFORMATION				
1009	0.8	B		US 258 AT NC 24 * POSSIBLE LOOP *	6.23	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-3	18	45.0%	6.23	0.80	
66I00203		3	CAPE FEAR	ONSLOW (RURAL)	38	WARRANT INFORMATION				
1033	0.78	B		US 17 (MP 5.99) AT NC 172 (MP 0.00)	3.92	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	24	63.2%	4.39	0.78	
66I00146		3	CAPE FEAR	ONSLOW (RURAL)	33	WARRANT INFORMATION				
1033	0.78	B		SR 1308 (MP 10.01) AT SR 1905 (MP 0.00)	6.21	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-1	24	72.7%	4.39	0.78	
66I00210		3	CAPE FEAR	ONSLOW (JACKSONVILLE)	37	WARRANT INFORMATION				
1083	0.75	B		NC 24 (MP 22.50) AT SR 1308 (MP 15.44)	3.2	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-2	15	40.5%	2.97	0.75	
66I00212		3	CAPE FEAR	ONSLOW (RURAL)	33	WARRANT INFORMATION				
1116	0.73	B		US 17B AT SR 1308 * POSSIBLE LOOP *	3.69	Warrant	Crashes	Percent	Severity	Weight
Excluded: <input type="checkbox"/> Comments:					I-4	15	45.5%	4.95	0.73	

Traffic Safety Unit

Transportation Mobility and Safety Division

North Carolina Department of Transportation

North Carolina Highway Safety Improvement Program

Potentially Hazardous Intersection Locations in ONSLOW County

2010 Cycle

PH Number					Overall	
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes	Severity Index
<div><div>66I00211</div><div>11160.73</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (RURAL) US 17 AT SR 1308 * POSSIBLE LOOP *</div> <div>333.69</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-41545.5%4.950.73</div></div></div>						
<div><div>66I00144</div><div>13020.63</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (RURAL) SR 1406 (MP 5.85) AT SR 1413 (MP 4.68)</div> <div>324.93</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-11856.3%4.70.63</div></div></div>						
<div><div>66I00213</div><div>13340.62</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (RURAL) US 17B (MP 3.58) AT PRESTON</div> <div>405.67</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-12562.5%3.370.62</div></div></div>						
<div><div>66I00214</div><div>13890.59</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (JACKSONVILLE) WESTERN AT WESTERN</div> <div>272.92</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-21348.1%2.710.59</div></div></div>						
<div><div>66I00152</div><div>14260.57</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (RURAL) SR 1406 (MP 3.24) AT SR 1411 (MP 3.07)</div> <div>324.01</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-11856.3%4.290.57</div></div></div>						
<div><div>66I00174</div><div>15950.5</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (JACKSONVILLE) SR 1308 (MP 12.38) AT DORIS (MP 0.19)</div> <div>274.29</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-11659.3%4.240.50</div></div></div>						
<div><div>66I00199</div><div>16680.46</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (JACKSONVILLE) SR 1308 (MP 12.62) AT DE WITT</div> <div>322.85</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-11856.3%3.470.46</div></div></div>						
<div><div>66I00175</div><div>16900.45</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (JACKSONVILLE) SR 1470 (MP 3.10) AT ACCESS</div> <div>324.24</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-11753.1%3.610.45</div></div></div>						
<div><div>66I00197</div><div>17540.42</div><div>Excluded: <input type="checkbox"/> Comments:</div></div> <div>3B</div> <div>CAPE FEAR</div> <div>ONSLOW (JACKSONVILLE) US 17 (MP 28.13) AT FAIRWAY</div> <div>253.37</div> <div><div>WARRANT INFORMATION</div><div><div>WarrantCrashesPercentSeverityWeight</div><div>I-12080.0%2.850.42</div></div></div>						

North Carolina Highway Safety Improvement Program

Potentially Hazardous Intersection Locations in ONSLOW County

2010 Cycle

PH Number					Overall																					
State Rank	Total Weight	Divison SHP Troop	Region	Location	Crashes Severity Index																					
66I00204		3	CAPE FEAR	ONSLOW (RURAL)	42	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-1</td><td>27</td><td>64.3%</td><td>2.37</td><td>0.47</td></tr><tr><td>I-2</td><td>16</td><td>38.1%</td><td>2.85</td><td>0.76</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-1	27	64.3%	2.37	0.47	I-2	16	38.1%	2.85	0.76
WARRANT INFORMATION																										
Warrant	Crashes	Percent	Severity	Weight																						
I-1	27	64.3%	2.37	0.47																						
I-2	16	38.1%	2.85	0.76																						
1864	0.36	B	SR 1406 (MP 6.66) AT SR 1452	2.41																						
Excluded: <input type="checkbox"/> Comments:																										
66I00215		3	CAPE FEAR	ONSLOW (JACKSONVILLE)	26	<table><tr><th colspan="5">WARRANT INFORMATION</th></tr><tr><th>Warrant</th><th>Crashes</th><th>Percent</th><th>Severity</th><th>Weight</th></tr><tr><td>I-2</td><td>11</td><td>42.3%</td><td>1.67</td><td>0.31</td></tr><tr><td>I-4</td><td>12</td><td>46.2%</td><td>1.62</td><td>0.19</td></tr></table>	WARRANT INFORMATION					Warrant	Crashes	Percent	Severity	Weight	I-2	11	42.3%	1.67	0.31	I-4	12	46.2%	1.62	0.19
WARRANT INFORMATION																										
Warrant	Crashes	Percent	Severity	Weight																						
I-2	11	42.3%	1.67	0.31																						
I-4	12	46.2%	1.62	0.19																						
2014	0.06	B	NC 24 (MP 26.01) AT CAMP LEJEUNE	1.85																						
Excluded: <input type="checkbox"/> Comments:																										